



**A Quik-Fold® Step Stool** This step stool has an arched foot guide for safety. It has an 8" standard step height and super-grip step tread for firm footing. Non-slip floor protectors keep stool in place, plus diamond hole patterns for easy, peggable storage.

ID No.	Color	Duty Rating	Working Height	Width	Unit	Price
1	ADM-8530023731	Black	300 lbs	12"	13"	EA 21.00



**B One-Step Folding Step Stool** These lightweight stepstools are sturdy, but at less than three pounds are easy to carry around for office tasks. With their large, heavy-duty top step and ribbed, slip-resistant step treads, these step stools provide added strength and stability. Features a self-locking fold and lock release. Compact design folds flat to 3 inches for easy transport and storage. Manufacturer's limited one-year warranty.

ID No.	Color	Duty Rating	Working Height	Width	Unit	Price
2	CSC-11903BGR1E ★	Blue/Gray	300 lbs	8½"	14½"	EA 38.34
3	CSC-11903BG01E ★	Orange/Gray	300 lbs	8½"	14½"	EA 38.34

★ ANSI Type 1A, Extra Heavy-Duty Commercial; OSHA Compliant.

**C Folding Step Stool** These lightweight stepstools are sturdy, but at less than five pounds are easy to carry around for office tasks. With their large, heavy-duty top step and ribbed, slip-resistant step treads, these step stools provide added strength and stability. Features a self-locking fold and lock release. Manufacturer's limited ten-year warranty.

ID No.	Color	Duty Rating	Working Height	Width	Unit	Price
<b>One-Step</b>						
4	CSC-11014PBL1E ★	Platinum, Black	200 lbs	9½"	15¾"	EA 44.40
<b>Two-Step</b>						
5	CSC-11024PBL1E ★	Platinum, Black	200 lbs	16½"	16¾"	EA 54.47

★ ANSI Type III, Light Duty Household; ISTA 3A Packaging Standards.



**D Rolling Step Stool, Curved Design** Casters retract when stepped on. Antiskid bottom. Textured step surface. Manufacturer's limited one-year warranty.

ID No.	Color	Duty Rating	Working Height	Diameter	Unit	Price
6	RCP-252300BGE	Beige	350 lbs	13½"	16"	EA 143.06
7	RCP-252300BK	Black	350 lbs	13½"	16"	EA 143.06



**E 1UP® Folding Step Stool** Folding step stool with easy flip-open operation when you need it. Folds flat for convenient storage when not in use. The non-slip rubber tread provides secure footing. High-density plastic construction makes this stool lightweight, yet durable.

ID No.	Color	Duty Rating	Working Height	Width	Unit	Price
8	CRA-50051PK-63	Blue	300 lbs	9¾"	14"	EA 66.00
9	CRA-50051PK-82	Slate	300 lbs	9¾"	14"	EA 66.00

**F Scooter Stool** High-density plastic stool rolls easily in place. Spring mounted with retractable casters, a protective bumper and stackable design. Non-slip treads and lock-in-place wheels keep you safe. Super lightweight and easy to lift.

ID No.	Color	Duty Rating	Working Height	Diameter	Unit	Price
10	CRA-50011PK-82	Gray	300 lbs	15"	12"	EA 97.00
11	CRA-50011PK-43	Red	300 lbs	15"	12"	EA 97.00



**G Kik-Step® Stool** Spring-mounted casters retract when stool is stepped on. Steel construction with nonslip treads. Protective bumper around base. No tools required; simple snap-together assembly. Manufacturer's limited ten-year warranty. ⚙️

ID No.	Color	Duty Rating	Working Height	Diameter	Unit	Price
12	CRA-1001-92	Black	350 lbs	14¼"	16"	EA 116.00
13	CRA-1001-63	Navy	350 lbs	14¼"	16"	EA 116.00
14	CRA-1001-30	Orange	350 lbs	14¼"	16"	EA 116.00
15	CRA-1001-43	Red	350 lbs	14¼"	16"	EA 116.00
16	CRA-1001-19	Sand	350 lbs	14¼"	16"	EA 116.00
17	CRA-1001-01	Silvertone	350 lbs	14¼"	16"	EA 116.00
18	CRA-1001-82	Slate	350 lbs	14¼"	16"	EA 116.00


**COSCO**

**A Commercial Step Stool** Features large 14 $\frac{1}{2}$ "w x 12 $\frac{1}{4}$ "d top platform step. All steps have nonskid treads. Folds for easy storage. Durable, tubular steel frame forms handrail and knee brace. **WARNING:** Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits. Manufacturer's limited ten-year warranty.

ID No.	Color	Duty Rating	Working Height	Width	Unit	Price
<b>Two-Step—Opti-Bond™ Powder-Coated Finish.</b>						
1	CSC-11-829GGB *	Gray	300 lbs	21"	20 $\frac{1}{2}$ "	EA \$21.31
<b>Three-Step—Opti-Bond™ Powder-Coated Finish.</b>						
2	CSC-11-839GGG *	Gray	300 lbs	31 $\frac{1}{2}$ "	20 $\frac{1}{2}$ "	EA \$61.74

\* ANSI Type IA, Extra Heavy Duty Commercial; OSHA Compliant.

**B Two-Step Folding Step Stool** Steel step stool features strong metal steps with ribbed, slip-resistant treads. Continuous rear-leg support provides added stability. Durable Opti-Bond™ powder-coated finish resists scratches. Nonmarring, skid-resistant front legs and back glides. Convenient handle for easy carrying. Manufacturer's limited ten-year warranty.

ID No.	Color	Duty Rating	Working Height	Width	Unit	Price
3	CSC-11-135CLGG1 *	Cool Gray	200 lbs	28.125	17 $\frac{3}{4}$ "	EA \$0.55

\* ANSI Type III, Light Duty Household; OSHA Compliant.

**C Signature Aluminum Step Stool** Essential for any office or household – strong, lightweight stool is the perfect height for most tasks. Extra-large, slip-resistant resin platform step and leg-cap feet ensure stability. Easy to fold flat, easy to carry. Weighs less than 6 pounds. Manufacturer's limited ten-year warranty.

ID No.	Color	Duty Rating	Working Height	Width	Unit	Price
4	CSC-11311ABL1E *	Platinum/Black	225 lbs	18 $\frac{1}{16}$ "	18 $\frac{1}{16}$ "	EA \$5.93
5	CSC-11411ABL1E *	Platinum/Black	225 lbs	28 $\frac{3}{16}$ "	19 $\frac{1}{16}$ "	EA \$17.26

\* ANSI Type II, Medium Duty Commercial.

**D Two-Step Big Step™ Folding Step Stool** Large, heavy-duty injection molded polypropylene resin steps with ribbed, slip-resistant treads allow ample space for secure footing. Friction-lock top step and anti-slip leg caps provide stable base. Silicone hand grip helps you balance while climbing. Lightweight and easy to carry for multiple jobs; folds flat for easy storage. Durable, powder-coated steel frame. Step heights: 9.92" x 20.47" Manufacturer's limited one-year warranty.

ID No.	Color	Duty Rating	Working Height	Width	Unit	Price
6	CSC-11308PBL1E *	Black/Gray	200 lbs	20 $\frac{1}{2}$ "	22 $\frac{1}{8}$ "	EA \$7.49

\* ANSI Type III, Light Duty Household.

**E Three-Step Big Step Folding Step Stool** Steel step stool has large, heavy-duty injection molded polypropylene resin steps with ribbed, slip-resistant treads. Continuous rear leg support provides increased stability. Comfortable handgrip. Nonmarring leg tips keep floors clean. Folds flat for convenient storage and transport. Manufacturer's limited ten-year warranty.

ID No.	Color	Duty Rating	Working Height	Width	Unit	Price
7	CSC-11-408PBL1E *	Light Gray	200 lbs	45 $\frac{1}{2}$ "	17 $\frac{3}{4}$ "	EA \$9.42

\* ANSI Type III, Light Duty Household; OSHA Compliant.

**F Max™ Work Platform** Lightweight, yet durable steel work platform features three large heavy-duty polypropylene resin steps with slip-resistant treads. Features large 14 $\frac{1}{4}$ "w x 12d top platform step. Handy molded utility tray holds tools, paint cans, wallpaper rolls, etc. Extended hand-grip handle with tool holder. Non-marring, skid-resistant feet provide stability and protect floor surfaces. Easy one-hand fold and lock release. **WARNING:** Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits. Manufacturer's limited ten-year warranty.

ID No.	Color	Working Height	Step Size	Spread Size	Duty Rating	Unit	Price
8	CSC-11880PBLW1 *	Black	55"	14 $\frac{3}{4}$ " x 12"	31"	225 lbs	EA \$69.82

\* ANSI Type II, Medium Duty Commercial, 225 lbs; OSHA Compliant.

**G World's Greatest™ Work Platform** Lightweight aluminum frame supports three large heavy-duty injection molded polypropylene resin steps. Features extra-large 16 $\frac{1}{4}$ "w x 16 $\frac{1}{4}$ "d top platform step. Large, non-marring, skid-resistant feet provide stability. **WARNING:** Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits. Manufacturer's limited ten-year warranty.

ID No.	Color	Duty Rating	Working Height	Width	Unit	Price
9	CSC-11003ABL1 *	Black	300 lbs	32"	16 $\frac{1}{4}$ "	EA \$93.14

\* ANSI Type IA, Extra Heavy Duty Industrial; OSHA Compliant.

## LOUISVILLE

**A Aluminum Folding Step Stand** Lightweight and portable. The slip-resistant rubber feet and heavy duty gusset bracing make it strong and sturdy. **WARNING:** Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits. Manufacturer's limited one-year warranty.

ID No.	Color	Duty Rating	Working Height	Width	Unit	Price
1 DAD-AS3002*	Aluminum/Black	300 lbs	24"	17"	EA	89.54

\* ANSI Type IA, Extra Heavy-Duty Industrial; OSHA Compliant.

**B Aluminum Mini Working Platform Step Stool** Provides a 11 $\frac{1}{2}$ " x 37" work area for comfort and safety. This platform stands 20" giving the user height for a large range of activities. The easy-to-use hinge rails lock for safety. Standing area and rubber feet are slip-resistant to create a safe and stable working area. Includes an easy-to-use handle for transportation.

ID No.	Color	Duty Rating	Working Height	Width	Unit	Price
2 DAD-L224203*	Aluminum	225 lbs	20"	37"	EA	177.77

**C Fiberglass Mini Working Platform Step Stool** Provides a 12" x 37 $\frac{1}{4}$ " work area for comfort and safety. Platform stands 34" giving the user height for a large range of activities. Ideal for electrical work. Easy-to-use hinge rails lock for safety. Standing area and rubber feet are slip-resistant to create a safe and stable working area.

ID No.	Color	Duty Rating	Working Height	Width	Unit	Price
3 DAD-L304203*	Yellow	300 lbs	21"	37 $\frac{1}{4}$ "	EA	248.80

**D Black & Decker Steel Step Stool** Folds flat for easy storage and portability. Rated for up to 200 lbs and features slip resistant rubber feet and large platform top step. **WARNING:** Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits.

ID No.	Color	Duty Rating	Working Height	Width	Unit	Price
<b>Two-Step</b>						
4 DAD-BXL436002 *	Gray	200 lbs	18"	17 $\frac{1}{2}$ "	EA	61.51
<b>Three-Step</b>						
5 DAD-BXL436003 *	Gray	200 lbs	27"	18 $\frac{1}{2}$ "	EA	79.34

\* ANSI Type III, Light Duty Household.

**E Aluminum Euro Platform Ladder** Features a large slip-resistant working platform. Includes slip-resistant rubber feet, heavy duty gusset bracing and top rail guard for enhanced stability. **WARNING:** Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits. Manufacturer's limited 90-day warranty.

ID No.	Color	Working Height	Step Size	Spread Size	Duty Rating	Unit	Price
<b>Two-Step</b>							
6 DAD-L234602 *	Aluminum/ Red	6 ft	15" x 23 $\frac{1}{2}$ "	23 $\frac{3}{4}$ "	200 lbs	EA	127.17
<b>Three-Step</b>							
7 DAD-L2346-03 *	Aluminum/ Red	8 ft	15" x 23 $\frac{1}{2}$ "	31"	200 lbs	EA	147.30
<b>Four-Step</b>							
8 DAD-L2346-04 *	Aluminum/ Red	8 ft	16" x 23 $\frac{1}{2}$ "	38 $\frac{1}{4}$ "	200 lbs	EA	171.13

\* DAD-L234602—ANSI Type III, Light Duty Household; OSHA Compliant.  
DAD-L2346-03, DAD-L2346-04—ANSI Type III, Light Duty Household.



**WARNING**  
Metal ladders conduct electricity





**WARNING**  
Metal ladders conduct electricity



**A Signature Series™ Aluminum Step Ladder** For industrial, construction, building, roofing and general contracting use. Features an easy-to-use paper towel holder and two project trays to hold your tools or paint cans right where you need them. Lightweight aluminum design provides a safe, larger work space with a large platform top step. Manufacturer's limited ten-year warranty.

ID No.	Color	Working Height	Step Size	Spread Size	Duty Rating	Unit	Price
<b>Four-Step</b> —Patented boxed frame for additional stability.							
1	CSC-2061AABLD • ★	Aluminum	6 ft	18" × 2½"	40"	300 lbs EA	313.35

★ ANSI Type IA, Extra Heavy Duty Industrial; OSHA Compliant.



**B Aluminum Step Ladder** Commercial aluminum step ladder is lightweight and portable. Ideal for painters and other tradespeople. Features molded plastic top for holding quart paint can with slots for small hand tools and an extra-large automatic pail shelf with tool slots and paint can holder. Sturdy and stable with full 3" U-channel serrated steps and pinch-resistant spreader braces. **WARNING:** Metal ladders conduct electricity, do not use where contact may be made with live electrical circuits. Manufacturer's limited 90-day warranty. 📦

ID No.	Color	Working Height	Step Size	Spread Size	Duty Rating	Unit	Price
<b>Five-Step</b>							
2	DAD-AS40-06 • ★	Aluminum/ Green	8 ft	3"	39½"	225 lbs EA	168.01
<b>Seven-Step</b>							
3	DAD-AS40-08 • ★	Aluminum/ Green	8 ft	3"	51¼"	225 lbs EA	247.13

★ ANSI Type II, Medium Duty Commercial; OSHA Compliant.

**C Black & Decker Aluminum Step Stool** Folding step stool with large working platform. Light-weight aluminum.

ID No.	Color	Duty Rating	Working Height	Width	Unit	Price
<b>Two-Step</b>						
4	DAD-BXL226002 • ★	Silver	225 lbs	96"	3½"	EA 109.77
<b>Three-Step</b>						
5	DAD-BXL226003S • ★	Silver	225 lbs	47"	20"	EA 143.49

★ OSHA Compliant.

**D Fiberglass Heavy Duty Step Ladder** Heavy-duty industrial ladder has a 300 lb. duty rating and is made from non-conductive fiberglass. Industrial-grade molded plastic ProTop™ has a magnet, slots for power and hand tools, 2" × 4"s and pipe, a tray for paint cans and curved front for leg and body comfort. Manufacturer's limited 90-day warranty.

ID No.	Color	Working Height	Step Size	Spread Size	Duty Rating	Unit	Price
<b>2-Step</b>							
6	DAD-FS1502 • ★	Orange	26"	3" × 15¼"	18¼"	300 lbs EA	129.84
<b>3-Step</b>							
7	DAD-FS1504 • ★	Orange	23"	3" × 15¼"	28½"	300 lbs EA	188.36
<b>5-Step</b>							
8	DAD-FS1506 • ★ 📦	Orange	45"	3" × 15¼"	40½"	300 lbs EA	235.12

★ DAD-FS1502, DAD-FS1504—CSA Certified; OSHA; Type IA.  
DAD-FS1506—SA Certified; OSHA; Type IA.

**E Fiberglass Step Ladder** Commercial non-conductive fiberglass step ladder. The ProTop™ holds quarter/half/full gallon paint cans, has a curved front for comfort and includes tool and drill slots and 2 × 4 or pipe holding slot. Slip-resistant rubber feet and pinch-resistant spreader braces provide safety and stability. Manufacturer's limited 90-day warranty. 📦

ID No.	Color	Working Height	Step Size	Spread Size	Duty Rating	Unit	Price
<b>Five-Step</b>							
9	DAD-FS40-06 • ★	Green/ Black	8 ft	3"	40½"	225 lbs EA	212.51
<b>Seven-Step</b>							
10	DAD-FS40-08 • ★	Green/ Black	8 ft	3"	51½"	225 lbs EA	288.50

★ ANSI Type II, Medium Duty Commercial; OSHA Compliant.





**A Telescopic Extension Ladders** Revolutionary, heavy-duty telescopic ladder extends from a compact form to either full height or any intermediate height in between, giving you just the right height needed for the job. Safety windows on each rung turns “green” to confirm each step is in the locked position. Retract the ladder using the patented One-Touch release mechanism, and in seconds the ladder is fully closed and ready for easy transport and compact storage. Manufacturer’s limited one-year warranty.

ID No.	Color	Working Height	Step Size	Duty Rating	Unit	Price
1 TLP-1400E•★	Aluminum	14 ft	1½" × 12¼"	250 lbs	EA	287.50
2 TLP-1600E•★	Aluminum	16 ft	1½" × 12¼"	250 lbs	EA	354.10
3 TLP-1800EP•★	Aluminum	18 ft	3½" × 12¼"	300 lbs	EA	481.15

★ ANSI 14.2 Compliant; CSA Z11 Compliant; OSHA Compliant. Ladder must be handled, cared for and maintained in accordance with the instruction manual and the ladder’s safety and warning labels.

**B Telescopic A-Frame Ladders** These revolutionary telescopic step ladders have an offset feature to use on stairs. Fully automatic extension and retraction with the patented One-Touch release mechanism for ease of use. Made from high quality aluminum alloys, these ladders are portable and retract to under 35 inches, and can be stored anywhere traditional ladders won’t fit. 375 lbs. type 1AA duty rating. Equipped with wide professional steps and elliptical tubes for strength - built with safety in mind. Great for transporting in service carts and small vehicles. Use them at the office, jobsite, farm, shop, home, or anywhere you need a ladder. Manufacturer’s limited one-year warranty.

ID No.	Color	Working Height	Step Size	Spread Size	Duty Rating	Unit	Price
4 TLP-14ES•★	Aluminum/Black	14 ft	3¼" × 13½"	59"	375 lbs.	EA	510.50

★ ANSI 14.2 Compliant; CSA/cCSAus Compliant; OSHA Compliant. Ladder must be handled, cared for and maintained in accordance with the instruction manual and the ladder’s safety and warning labels.



**C Stop-Step® Ladder** Ideal for warehouses, storerooms and stocking areas. Rolls when pushed and stops when stepped on. Steps have nonslip treads. Scratch-resistant powder coating. **WARNING:** Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits. Do not use where contact may be made with live electrical circuits. Manufacturer’s ten-year limited warranty. ☒

ID No.	Color	Working Height	Step Size	Duty Rating	Unit	Price
<b>Two-Step</b>						
5 CRA-1020-19•★	Beige	23"	16" × 8"	300 lbs	EA	468.00
<b>Three-Step</b>						
6 CRA-1030-19•★	Beige	32¼"	16" × 8"	300 lbs	EA	575.00
<b>Four-Step—With left and right handrails.</b>						
7 CRA-1043-19•★	Beige	66¼"	16" × 8"	300 lbs	EA	906.00
<b>Four-Step—With left handrail.</b>						
8 CRA-1041L-19•★	Beige	66¼"	16" × 8"	300 lbs	EA	857.00
<b>Four-Step—With right handrail.</b>						
9 CRA-1041R-19•★	Beige	66¼"	16" × 8"	300 lbs	EA	857.00

★ ANSI Type IA, Extra Heavy Duty Industrial; OSHA Compliant.




**D Rolling Commercial Step Stool** Perfect for getting to those out of reach tasks like filing, stocking shelves and overhead repairs. Four durable casters roll when pushed; retract into oversized suction cup stabilizers when weight is applied. Extra wide 16" × 8" steps with resin step tread provide secure footing. Lightweight design glides easily from location to location. Powder-coated steel frame. Manufacturer’s limited ten-year warranty. ☒

ID No.	Color	Duty Rating	Working Height	Width	Unit	Price
<b>Two-Step—9" and 18" step heights.</b>						
10 CSC-11824GGB1•★	Platinum/Black	300 lbs	18"	22½"	EA	161.73
<b>Three-Step—9", 18" and 27" step heights.</b>						
11 CSC-11834GGB1•★	Platinum/Black	300 lbs	27"	22½"	EA	202.17

★ ANSI Type IA, Extra Heavy Duty Industrial.

#### MAXIMUM EXTENSION HEIGHTS

TLP-1400E	10.5'
TLP-1600E	12.5'
TLP-1800EP	14.5'



B



C



D



STOOLS & LADDERS